

SANME



德国技术 中国制造
Germany Technology

欧星MP1000履带移动式破碎站 MP1000 Mobile Jaw Crushing Plant



山美

上海山美重型矿山机械有限公司
SHANGHAI SANME MINING MACHINERY CO., LTD.

(德国哈斯玛克合资公司)
(JV WITH HAZEMAG GERMANY)






山美矿机 追求完美

上海山美重型矿机有限公司是中国领先的破碎筛分设备制造商，是德国哈斯玛克公司在中国的合资公司。拥有现代化的加工制造能力和由优秀的工程师组成的研发队伍，公司自成立以来始终坚持对新产品、新技术的大力研发，使开发的产品具有国际先进水平，目前能够为客户提供全系列破碎筛分设备和完整解决方案，产品包括颚式破碎机、圆锥破碎机、反击式破碎机、立式冲击破碎机（制砂机）、振动筛、细砂回收系统、轮式移动破碎站和履带式移动破碎站。我们的产品在矿物加工、砂石骨料生产、建筑垃圾回收、钢渣处理、隧道破碎、水泥和石膏板行业等领域得到广泛应用，并已经出口到世界上三十多个国家和地区。我们的目标是成为全球客户提供值得信赖的产品和服务，为客户创造价值。

Shanghai Samme Mining Machinery Co., Ltd is a leading manufacturer of crushing and screening equipments in China. Samme is a joint venture with Hazemag Germany. With modern manufacturing capability and excellent R&D teams of professional engineers, we have devoted ourselves all the time to research and develop new products and technologies since its establishment, which make our developed products achieve advanced world standard. we not only can offer full range of crushing and screening equipments, including jaw crusher, cone crusher, impactor, VSI, screen, fine sand collecting system, mobile crushing and screening plants, but also provide total solutions. Our products are widely applied in the fields of mineral processing, aggregate processing, construction waste recycling, steel slag processing, tunnel crushing, cement and gypsum board industries and so on, meanwhile, they have exported to more than 30 countries and regions in the world. Our aim is to provide reliable products and services for global customers and create values for our customers.

欧星MP1000履带移动式破碎站 MP1000 Mobile Jaw Crushing Plant






欧星MP1000履带移动式破碎站采用德国技术设计和制造，达到了国际先进水平，在设计中广泛采用了世界上最先进的移动破碎技术，能够完全满足客户的移动破碎要求，改变您的盈利模式。The plant adopts first level mobile crushing technique, which fully meets the customers' requirement of high mobility, high crushing efficiency and optimizes your business mode.

欧星MP1000履带移动式破碎站具有如下特点:

- Characteristics:**
- 破碎效率高，处理量大
 - 重型化设计，高可靠性
 - 易于运输和能够快速投入生产
 - 操作和维护方便
 - 移动灵活
 - 发动机先进，油耗消耗低，大大降低运营成本
 - 符合最严格的环保标准
 - High capacity and crushing efficiency
 - Heavy duty design, high reliability
 - Easy transport and fast set-up
 - Convenient operation and maintenance
 - High mobility
 - Advanced engine, less fuel consumption, reduces operation cost
 - Meet strict environmental standards

欧星MP1000履带移动式破碎站采用如下世界著名品牌产品: MP1000 Mobile Jaw Plant purchase from world famous brand:

- | | | |
|---|----------------|--|
|  | 美国品牌康明斯发动机 | Engine from Cummins, American brand |
|  | 德国品牌力士乐液压泵 | Hydraulic pump from Rexroth, Germany brand |
|  | 瑞典品牌SKF轴承 (选装) | Bearing from SKF, Swedish brand (Optional) |

MP1000履带移动式破碎站可以应用于:

- ◆ 矿物和硬岩破碎
- ◆ 砂石骨料生产
- ◆ 建筑垃圾回收
- ◆ 钢渣处理
- ◆ 隧道破碎
- ◆ 水泥原料加工
- ◆ Minerals and hard rock crushing
- ◆ Aggregate processing
- ◆ Construction waste recycling
- ◆ Slag processing
- ◆ Tunnel crushing
- ◆ Cement

欧星MP1000履带移动式破碎站 MP1000 Mobile Jaw Plant



大容量给料斗
Large capacity hopper

可变速的振动给料机
Variable speed grizzly feeder

颚式破碎机
Jaw crusher

柴油发动机
Diesel engine

选装除铁器
Optional magnetic separator

防尘密封罩
Dust encapsulation

主皮带机
Main conveyor

侧皮带机
Side conveyor

重载设计的履带底盘
Heavy duty tracks



采用标准的平板车即可运输
Quick and easy transport

特点及优势 Features and Benefits:

- 颚式破碎机采用液压调整排矿口，能够快速、方便的调整排矿口间隙。
- Hydraulic adjustment for quick and easy close side setting changes.
- 颚式破碎机采用有限元分析设计的高性能颚式破碎机，被证明适合破碎硬岩和建筑垃圾。
- Parametric 3-D and FEA designed performance proven jaw crusher provides flexibility in recycle and hard rock.





采用最优化的动力传动方案，效率高，动力消耗低
Adoptis optimized power transmission system, high efficiency and lower energy consumption.



可选装自卸式除铁器
Optional self-cleaning permanent magnetic separator



欧星MP1000履带移动式破碎站 MP1000 Mobile Jaw Plant



欧星MP1000履带移动式破碎站具有如下特点 MP1000 Mobile Jaw Plant

技术参数 Technical specifications

颚式破碎机 Jaw crusher JC342	
最大进料粒度 Max feed size	500mm
排矿口调整范围 Gap width	60-175mm
处理量 Crushing capacity	最大 up to 300t/h
动力装置 Driving unit	
发动机 Engine	Cummins Tier3
功率 Performance	164kw (220hp)
给料斗 Feed hopper	
料斗容积 Hopper volume	约 approximately 6m ³
料斗宽度 Hopper width	2760mm
料斗高度 Hopper height	4160mm
棒条给料机 Grizzly feeder with pre-screening	
驱动方式 Drive	液压 hydraulic
主皮带机 Main conveyor belt	
皮带宽度 Belt width	1000mm
卸料高度 Discharge height	2900mm
驱动方式 Drive	液压 hydraulic
侧皮带机 Side conveyor belt	
皮带宽度 Belt width	650mm
卸料高度 Discharge height	2140mm
驱动方式 Drive	液压 hydraulic
运输时皮带机头部可以折叠 For transportation the head-piece can be folded.	
履带行走装置 Crawler unit	
移动速度 Travelling speed	1 kmph
爬坡能力 Climbing ability	最大 max 20°
驱动方式 Drive	液压 hydraulic
永磁自卸式除铁器 Permanent magnetic separator	
皮带宽度 Belt width	800mm
外形尺寸和重量 Dimensions and weight	
工作状态外形尺寸 Working dimensions	
- 长度 Length	12600mm
- 宽度 Width	4060mm
- 高度 Height	4160mm
运输状态外形尺寸 Transport dimensions	
- 长度 Length	12600mm
- 宽度 Width	2760mm
- 高度 Height	3460mm
重量 Weight	约 approximately 39t



山美

上海山美重型矿山机械有限公司 (德国哈斯玛克合资公司) SHANGHAI SANME MINING MACHINERY CO., LTD. (JV WITH HAZEMAG GERMANY)

地址: 上海市浦东新区东方路899号707室
电话: 021-5820 6908
传真: 021-5820 0089
邮编: 200122
网址: www.shsmzj.com
E-mail: info@sanmecrusher.com

厂址: 上海市奉贤区青村镇奉村路258号
电话: 021-5756 6166
传真: 021-5756 6188
邮编: 201414
网址: www.shsmzj.com
E-mail: info@sanmecrusher.com

Address: Room707, No.899 Dongfang Road, Shanghai 200122, China
Tel: +86 21 5820 2968
Fax: +86 21 5820 0089
Website: www.sanmecrusher.com
E-mail: sales@sanmecrusher.com

Factory Add: No.258, Fengcun Road, Qingcun County, Fengxian District, Shanghai 201414, China
Tel: +86 21 5756 6166
Fax: +86 21 5756 6188
Website: www.sanmecrusher.com
E-mail: sales@sanmecrusher.com



2011版 版权所有 翻印必究 中国印制 Printed in China

- 我们的产品在不断的更新和改进中, 我们保留在未事先告知用户的情况下, 更改参数及设计的权利。
Our products are constantly updated and improved, we reserve the right to change parameters and design without advance notification of customers.
- 照片中产品外观颜色与实际机型存在差异, 颜色标准以实物为准。
If there are any discrepancy and difference between color of product appearance and actual machine type in the picture, color standard is subject to actual object.
- 本手册中的配置不一定是出厂标准配置, 购买时请详细咨询经销商。
Specifications and design in the brochures are not always the standard. Please consult our dealers or distributors particularly when purchasing.

